

Fig. A1. Annual salinity observations at the surface.




Fig. A2. Annual salinity observations at 50 m. depth.




Fig. A3. Annual salinity observations at 75 m. depth.




Fig. A4. Annual salinity observations at 100 m. depth.




Fig. A5. Annual salinity observations at 150 m. depth.




Fig. A6. Annual salinity observations at 200 m. depth.




Fig. A7. Annual salinity observations at 250 m. depth.




Fig. A8. Annual salinity observations at 400 m. depth.




Fig. A9. Annual salinity observations at 500 m. depth.




Fig. A10. Annual salinity observations at 700 m. depth.




Fig. A11. Annual salinity observations at 1000 m. depth.




Fig. A12. Annual salinity observations at 1500 m. depth.




Fig. A13. Annual salinity observations at 2000 m. depth.




Fig. A14. Annual salinity observations at 2500 m. depth.




Fig. A15. Annual salinity observations at 3000 m. depth.




Fig. A16. Annual salinity observations at 4000 m. depth.






Fig. A17. Annual mean salinity (PSS) at the surface.

Minimum Value= 2.37

Maximum Value= 40.37

Contour Interval: 0.20




Fig. A18. Annual mean salinity (PSS) at 50 m. depth.

Minimum Value= 3.78

Maximum Value= 40.91

Contour Interval: 0.20




Fig. A19. Annual mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.12

Maximum Value= 40.29

Contour Interval: 0.20




Fig. A20. Annual mean salinity (PSS) at 100 m. depth.

Minimum Value= 4.25

Maximum Value= 40.31

Contour Interval: 0.20




Fig. A21. Annual mean salinity (PSS) at 150 m. depth.

Minimum Value= 10.41

Maximum Value= 40.40

Contour Interval: 0.20




Fig. A22. Annual mean salinity (PSS) at 200 m. depth.

Minimum Value= 10.57

Maximum Value= 40.52

Contour Interval: 0.20




Fig. A23. Annual mean salinity (PSS) at 250 m. depth.

Minimum Value= 21.39

Maximum Value= 40.55

Contour Interval: 0.20




Fig. A24. Annual mean salinity (PSS) at 400 m. depth.

Minimum Value= 21.81                      Maximum Value= 40.61                      Contour Interval: 0.10










Fig. A27. Annual mean salinity (PSS) at 1000 m. depth.

Minimum Value= 22.23

Maximum Value= 40.88

Contour Interval: 0.05








Fig. A30. Annual mean salinity (PSS) at 2500 m. depth.

Minimum Value= 34.06

Maximum Value= 38.77

Contour Interval: 0.02




Fig. A31. Annual mean salinity (PSS) at 3000 m. depth.

Minimum Value= 34.07

Maximum Value= 38.75

Contour Interval: 0.01




Fig. A32. Annual mean salinity (PSS) at 4000 m. depth.

Minimum Value= 34.47

Maximum Value= 35.00

Contour Interval: 0.01






Fig. B1. Winter (Jan.-Mar.) salinity observations at the surface.




Fig. B2. Winter (Jan.-Mar.) salinity observations at 50 m depth.




Fig. B3. Winter (Jan.-Mar.) salinity observations at 75 m. depth.




Fig. B4. Winter (Jan.-Mar.) salinity observations at 100 m. depth.




Fig. B5. Winter (Jan.-Mar.) salinity observations at 150 m. depth.




Fig. B6. Winter (Jan.-Mar.) salinity observations at 250 m. depth.




Fig. B7. Spring (Apr.-Jun.) salinity observations at the surface.




Fig. B8. Spring (Apr.-Jun.) salinity observations at 50 m. depth.




Fig. B9. Spring (Apr.-Jun.) salinity observations at 75 m. depth.




Fig. B10. Spring (Apr.-Jun.) salinity observations at 100 m. depth.




Fig. B11. Spring (Apr.-Jun.) salinity observations at 150 m. depth.




Fig. B12. Spring (Apr.-Jun.) salinity observations at 250 m. depth.




Fig. B13. Summer (Jul.-Sep.) salinity observations at the surface.




Fig. B14. Summer (Jul.-Sep.) salinity observations at 50 m. depth.




Fig. B15. Summer (Jul.-Sep.) salinity observations at 75 m. depth.




Fig. B16. Summer (Jul.-Sep.) salinity observations at 100 m. depth.






Fig. B17. Summer (Jul.-Sep.) salinity observations at 150 m. depth.




Fig. B18. Summer (Jul.-Sep.) salinity observations at 250 m. depth.




Fig. B19. Fall (Oct.-Dec.) salinity observations at the surface.




Fig. B20. Fall (Oct.-Dec.) salinity observations at 50 m. depth.




Fig. B21. Fall (Oct.-Dec.) salinity observations at 75 m. depth.




Fig. B22. Fall (Oct.-Dec.) salinity observations at 100 m. depth.




Fig. B23. Fall (Oct.-Dec.) salinity observations at 150 m. depth.




Fig. B24. Fall (Oct.-Dec.) salinity observations at 250 m. depth.




Fig. B25. Winter (Jan.-Mar.) mean salinity (PSS) at the surface.

Minimum Value= 1.70      Maximum Value= 41.52      Contour Interval: 0.20




Fig. B26. Winter (Jan.-Mar.) minus annual salinity (PSS) at the surface.

Minimum Value= -14.68

Maximum Value= 10.33

Contour Interval: 0.20




Fig. B27. Winter (Jan.-Mar.) mean salinity (PSS) at 50 m. depth.

Minimum Value= 3.75

Maximum Value= 40.78

Contour Interval: 0.20




Fig. B28. Winter (Jan.-Mar.) minus annual salinity (PSS) at 50 m. depth.

Minimum Value= -1.03

Maximum Value= 1.57

Contour Interval: 0.20






Fig. B29. Winter (Jan.-Mar.) mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.02

Maximum Value= 40.36

Contour Interval: 0.20




Fig. B30. Winter (Jan.-Mar.) minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.63

Maximum Value= 1.18

Contour Interval: 0.10




Fig. B31. Winter (Jan.-Mar.) mean salinity (PSS) at 100 m. depth.

Minimum Value= 4.17

Maximum Value= 40.39

Contour Interval: 0.20




Fig. B32. Winter (Jan.-Mar.) minus annual salinity (PSS) at 100 m. depth.

Minimum Value= -0.98      Maximum Value= 1.21      Contour Interval: 0.10




Fig. B33. Winter (Jan.-Mar.) mean salinity (PSS) at 150 m. depth.

Minimum Value= 10.24

Maximum Value= 40.46

Contour Interval: 0.20




Fig. B34. Winter (Jan.-Mar.) minus annual salinity (PSS) at 150 m. depth.

Minimum Value= -0.91

Maximum Value= 1.03

Contour Interval: 0.10




Fig. B35. Winter (Jan.-Mar.) mean salinity (PSS) at 250 m. depth.

Minimum Value= 21.32      Maximum Value= 40.56      Contour Interval: 0.20




Fig. B36. Winter (Jan.-Mar.) minus annual salinity (PSS) at 250 m. depth.

Minimum Value= -0.35

Maximum Value= 0.56

Contour Interval: 0.10






Fig. B37. Spring (Apr.-Jun.) mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 40.09

Contour Interval: 0.20




Fig. B38. Spring (Apr.-Jun.) minus annual salinity (PSS) at the surface.

Minimum Value= -11.15

Maximum Value= 6.92

Contour Interval: 0.20




Fig. B39. Spring (Apr.-Jun.) mean salinity (PSS) at 50 m. depth.

Minimum Value= 3.84

Maximum Value= 40.99

Contour Interval: 0.20




Fig. B40. Spring (Apr.-Jun.) minus annual salinity (PSS) at 50 m. depth.

Minimum Value= -1.00

Maximum Value= 1.23

Contour Interval: 0.20

Longitude




Fig. B41. Spring (Apr.-Jun.) mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.26

Maximum Value= 40.30

Contour Interval: 0.20




Fig. B42. Spring (Apr.-Jun.) minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -0.78

Maximum Value= 0.96

Contour Interval: 0.10




Fig. B43. Spring (Apr.-Jun.) mean salinity (PSS) at 100 m. depth.

Minimum Value= 4.30

Maximum Value= 40.41

Contour Interval: 0.20




Fig. B44. Spring (Apr.-Jun.) minus annual salinity (PSS) at 100 m. depth.

Minimum Value= -0.60

Maximum Value= 0.67

Contour Interval: 0.10



Longitude




Fig. B45. Spring (Apr.-Jun.) mean salinity (PSS) at 150 m. depth.

Minimum Value= 10.46

Maximum Value= 40.46

Contour Interval: 0.20




Fig. B46. Spring (Apr.-Jun.) minus annual salinity (PSS) at 150 m. depth.

Minimum Value= -0.37

Maximum Value= 0.57

Contour Interval: 0.10




Fig. B47. Spring (Apr.-Jun.) mean salinity (PSS) at 250 m. depth.

Minimum Value= 21.34

Maximum Value= 40.59

Contour Interval: 0.20




Fig. B48. Spring (Apr.-Jun.) minus annual salinity (PSS) at 250 m. depth.

Minimum Value= -0.35      Maximum Value= 0.39      Contour Interval: 0.10

Longitude




Fig. B49. Summer (Jul.-Sep.) mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 40.95

Contour Interval: 0.20




Fig. B50. Summer (Jul.-Sep.) minus annual salinity (PSS) at the surface.

Minimum Value= -21.59

Maximum Value= 8.46

Contour Interval: 0.20




Fig. B51. Summer (Jul.-Sep.) mean salinity (PSS) at 50 m. depth.

Minimum Value= 3.79

Maximum Value= 41.01

Contour Interval: 0.20




Fig. B52. Summer (Jul.-Sep.) minus annual salinity (PSS) at 50 m. depth.

Minimum Value= -1.44

Maximum Value= 1.19

Contour Interval: 0.20






Fig. B53. Summer (Jul.-Sep.) mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.11

Maximum Value= 40.12

Contour Interval: 0.20




Fig. B54. Summer (Jul.-Sep.) minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -0.89

Maximum Value= 0.93

Contour Interval: 0.10

Longitude




Fig. B55. Summer (Jul.-Sep.) mean salinity (PSS) at 100 m. depth.

Minimum Value= 4.31

Maximum Value= 40.26

Contour Interval: 0.20




Fig. B56. Summer (Jul.-Sep.) minus annual salinity (PSS) at 100 m. depth.

Minimum Value= -1.44

Maximum Value= 0.70

Contour Interval: 0.10




Fig. B57. Summer (Jul.-Sep.) mean salinity (PSS) at 150 m. depth.

Minimum Value= 10.58

Maximum Value= 40.45

Contour Interval: 0.20




Fig. B58. Summer (Jul.-Sep.) minus annual salinity (PSS) at 150 m. depth.

Minimum Value= -1.87

Maximum Value= 0.62

Contour Interval: 0.10




Fig. B59. Summer (Jul.-Sep.) mean salinity (PSS) at 250 m. depth.

Minimum Value= 21.48

Maximum Value= 40.68

Contour Interval: 0.20




Fig. B60. Summer (Jul.-Sep.) minus annual salinity (PSS) at 250 m. depth.

Minimum Value= -0.38 Maximum Value= 0.41

Contour Interval: 0.10






Fig. B61. Fall (Oct.-Dec.) mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 40.77

Contour Interval: 0.20




Fig. B62. Fall (Oct.-Dec.) minus annual salinity (PSS) at the surface.

Minimum Value= -9.22

Maximum Value= 13.48

Contour Interval: 0.20




Fig. B63. Fall (Oct.-Dec.) mean salinity (PSS) at 50 m. depth.

Minimum Value= 3.76

Maximum Value= 40.97

Contour Interval: 0.20




Fig. B64. Fall (Oct.-Dec.) minus annual salinity (PSS) at 50 m. depth.

Minimum Value= -1.69

Maximum Value= 1.22

Contour Interval: 0.20




Fig. B65. Fall (Oct.-Dec.) mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.08

Maximum Value= 40.41

Contour Interval: 0.20




Fig. B66. Fall (Oct.-Dec.) minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -0.93

Maximum Value= 0.96

Contour Interval: 0.10




Fig. B67. Fall (Oct.-Dec.) mean salinity (PSS) at 100 m. depth.

Minimum Value= 4.22

Maximum Value= 40.40

Contour Interval: 0.20




Fig. B68. Fall (Oct.-Dec.) minus annual salinity (PSS) at 100 m. depth.

Minimum Value= -0.71

Maximum Value= 1.08

Contour Interval: 0.10






Fig. B69. Fall (Oct.-Dec.) mean salinity (PSS) at 150 m. depth.

Minimum Value= 10.34

Maximum Value= 40.67

Contour Interval: 0.20




Fig. B70. Fall (Oct.-Dec.) minus annual salinity (PSS) at 150 m. depth.

Minimum Value= -0.80

Maximum Value= 1.19

Contour Interval: 0.10




Fig. B71. Fall (Oct.-Dec.) mean salinity (PSS) at 250 m. depth.

Minimum Value= 21.41

Maximum Value= 40.53

Contour Interval: 0.20




Fig. B72. Fall (Oct.-Dec.) minus annual salinity (PSS) at 250 m. depth.

Minimum Value= -0.73

Maximum Value= 0.62

Contour Interval: 0.10




Fig. C1. January salinity observations at the surface.




Fig. C2. January salinity observations at 75 m. depth.




Fig. C3. February salinity observations at the surface.




Fig. C4. February salinity observations at 75 m. depth.




Fig. C5. March salinity observations at the surface.




Fig. C6. March salinity observations at 75 m. depth.




Fig. C7. April salinity observations at the surface.




Fig. C8. April salinity observations at 75 m. depth.






Fig. C9. May salinity observations at the surface.




Fig. C10. May salinity observations at 75 m. depth.




Fig. C11. June salinity observations at the surface.




Fig. C12. June salinity observations at 75 m. depth.




Fig. C13. July salinity observations at the surface.




Fig. C14. July salinity observations at 75 m. depth.




Fig. C15. August salinity observations at the surface.




Fig. C16. August salinity observations at 75 m depth.




Fig. C17. September salinity observations at the surface.




Fig. C18. September salinity observations at 75 m depth.




Fig. C19. October salinity observations at the surface.




Fig. C20. October salinity observations at 75 m. depth.




Fig. C21. November salinity observations at the surface.




Fig. C22. November salinity observations at 75 m. depth.




Fig. C23. December salinity observations at the surface.




Fig. C24. December salinity observations at 75 m. depth.






Fig. C25. January mean salinity (PSS) at the surface.

Minimum Value= 3.71

Maximum Value= 42.80

Contour Interval: 0.20




Fig. C26. January minus annual salinity (PSS) at the surface.

Minimum Value= -10.37

Maximum Value= 14.42

Contour Interval: 0.20




Fig. C27. January mean salinity (PSS) at 75 m. depth.

Minimum Value= 32.4

Maximum Value= 40.34

Contour Interval: 0.20




Fig. C28. January minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.63

Maximum Value= 1.40

Contour Interval: 0.10




Fig. C29. February mean salinity (PSS) at the surface.

Minimum Value= 0.00      Maximum Value= 43.17      Contour Interval: 0.20




Fig. C30. February minus annual salinity (PSS) at the surface.

Minimum Value= -20.17

Maximum Value= 11.05

Contour Interval: 0.20




Fig. C31. February mean salinity (PSS) at 75 m. depth.

Minimum Value= 3.98

Maximum Value= 40.32

Contour Interval: 0.20




Fig. C32. February minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.63

Maximum Value= 1.48

Contour Interval: 0.10






Fig. C33. March mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 42.09

Contour Interval: 0.20




Fig. C34. March minus annual salinity (PSS) at the surface.

Minimum Value= -22.53

Maximum Value= 11.39

Contour Interval: 0.20




Fig. C35. March mean salinity (PSS) at 75 m. depth.

Minimum Value= 3.96

Maximum Value= 40.42

Contour Interval: 0.20




Fig. C36. March minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.63

Maximum Value= 1.14

Contour Interval: 0.10




Fig. C37. April mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 42.03

Contour Interval: 0.20




Fig. C38. April minus annual salinity (PSS) at the surface.

Minimum Value= -13.39

Maximum Value= 10.39

Contour Interval: 0.20




Fig. C39. April mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.58

Maximum Value= 40.40

Contour Interval: 0.20




Fig. C40. April minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.07      Maximum Value= 1.41      Contour Interval: 0.10






Fig. C41. May mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 39.97

Contour Interval: 0.20




Fig. C42. May minus annual salinity (PSS) at the surface.

Minimum Value= -9.99

Maximum Value= 9.49

Contour Interval: 0.20

Longitude




Fig. C43. May mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.06

Maximum Value= 40.39

Contour Interval: 0.20




Fig. C44. May minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -0.98

Maximum Value= 1.06

Contour Interval: 0.10




Fig. C45. June mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 40.12

Contour Interval: 0.20




Fig. C46. June minus annual salinity (PSS) at the surface.

Minimum Value= -19.85

Maximum Value= 6.98

Contour Interval: 0.20

Longitude




Fig. C47. June mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.13

Maximum Value= 40.34

Contour Interval: 0.20




Fig. C48. June minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.51

Maximum Value= 0.96

Contour Interval: 0.10






Fig. C49. July mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 40.64

Contour Interval: 0.20




Fig. C50. July minus annual salinity (PSS) at the surface.

Minimum Value= -25.71

Maximum Value= 9.24

Contour Interval: 0.20




Fig. C51. July mean salinity (PSS) at 75 m. depth.

Minimum Value= 3.98

Maximum Value= 40.27

Contour Interval: 0.20




Fig. C52. July minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.36

Maximum Value= 1.07

Contour Interval: 0.10




Fig. C53. August mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 40.60

Contour Interval: 0.20




Fig. C54. August minus annual salinity (PSS) at the surface.

Minimum Value= -24.77

Maximum Value= 7.54

Contour Interval: 0.20




Fig. C55. August mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.20

Maximum Value= 39.76

Contour Interval: 0.20




Fig. C56. August minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.01

Maximum Value= 0.80

Contour Interval: 0.10






Fig. C57. September mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 41.62

Contour Interval: 0.20




Fig. C58. September minus annual salinity (PSS) at the surface.

Minimum Value= -15.96

Maximum Value= 11.96

Contour Interval: 0.20




Fig. C59. September mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.14

Maximum Value= 40.56

Contour Interval: 0.20




Fig. C60. September minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.51

Maximum Value= 2.49

Contour Interval: 0.10




Fig. C61. October mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 40.79

Contour Interval: 0.20




Fig. C62. October minus annual salinity (PSS) at the surface.

Minimum Value= -15.24

Maximum Value= 17.22

Contour Interval: 0.20




Fig. C63. October mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.14

Maximum Value= 40.36

Contour Interval: 0.20




Fig. C64. October minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -2.13

Maximum Value= 1.24

Contour Interval: 0.10






Fig. C65. November mean salinity (PSS) at the surface.

Minimum Value= 30.00

Maximum Value= 37.00

Contour Interval: 0.20




Fig. C66. November minus annual salinity (PSS) at the surface.

Minimum Value= -5.74

Maximum Value= 9.52

Contour Interval: 0.20




Fig. C67. November mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.08

Maximum Value= 40.60

Contour Interval: 0.20




Fig. C68. November minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.44

Maximum Value= 1.59

Contour Interval: 0.10




Fig. C69. December mean salinity (PSS) at the surface.

Minimum Value= 0.00

Maximum Value= 41.17

Contour Interval: 0.20




Fig. C70. December minus annual salinity (PSS) at the surface.

Minimum Value= -25.01

Contour Interval: 0.20




Fig. C.71. December mean salinity (PSS) at 75 m. depth.

Minimum Value= 4.00

Maximum Value= 40.28

Contour Interval: 0.20




Fig. C72. December minus annual salinity (PSS) at 75 m. depth.

Minimum Value= -1.11

Maximum Value= 0.96

Contour Interval: 0.10